


# Bibliography of Indian Fisheries



CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
( Indian Council of Agricultural Research )  
BARRACKPORE, WEST BENGAL  
INDIA





BIBLIOGRAPHY OF INDIAN FISHERIES

(World-List Abbreviation : Biblphy Indian Fish.)

Volume 12, No. 3

September, 1973

---

---

Compiled

by

B.N. Saigal

Amitabha Ghosh

P.K. Chakraborti

A.K. Datta

Anjali Dey (Ghosh)

---

---

CONTENTS

I. Entries	...	31 - 49
II. Author Index	...	A 5 - 7
III. Subject Index	...	S 3
IV. Taxonomic Index	...	T 8 - 14
V. Serial Index	...	p 3 - 4

---





## I. ENTRIES

134. Achari, G.P. Kumaraswamy, 1971  
 (Central Marine Fisheries Research Institute, Sub-station, Vizhingam, Via., Trivandrum)  
 Occurrence of the Brine-shrimp, Artemia salina, in Karsewar island off Tuticorin, Gulf of Mannar. Indian J. Fish., 18 (1 & 2): 196-198. 6 ref.
135. Annigeri, G.G. 1971  
 (Central Marine Fisheries Research Institute, Sub-station, Karwar)  
 Estimation of mortality rates of the oil sardine, Sardinella longiceps Val. Ibid., : 18 (1 & 2): 109-113  
 Mortality rates of oil saridine, using Beverton and Holt's method, have been estimated. Natural and fishing mortality rates of the fish have also been discussed. 6 ref.
136. Anon 1973  
 Finding fish. Yojana, 17 (5) : 229 p.
137. Antony Raja, B.T. 1971  
 (Central Marine Fisheries Research Institute, Sub-station, Karwar).  
 Fecundity fluctuations in the oil-sardine, Sardinella longiceps Val. Indian J. Fish., 18 (1 & 2): 84-98  
 The author is of the opinion that fluctuation in the fishery of juveniles of S. longiceps is directly related to the fluctuations in fecundity. An average of 27,000 to 57,000 ova are produced by individual fish and about 10% of the ova are lost due to follicular breakdown as reported by the author. 17 ref.
138. \_\_\_\_\_ 1971  
 (Central Marine Fisheries Research Institute, Sub-station, Karwar).  
 Comments on the reported method of employing greater magnification for the ova-diameter studies in fishes. Ibid., : 18 (1&2): 174-176. ref. 6
139. Balan, V. 1971  
 (Central Marine Fisheries Research Institute, Sub-station, Calicut-5)  
 Fishery and biology of the oil-sardine, Sardinella longiceps Val., off the Cochin coast. Ibid., : 18 (1 & 2) : 135-147



Fluctuations in the fishery of oilsardine have been have been discussed. Studies on the length frequency distribution indicated that the juvenile fish grew very fast during the first 12 months. As reported by the author the peak season of spawning extends from June to August. 14 ref.

140. Balasubramanyan, R. 1973

(Central Institute of Fishery Technology, Craft and Gear Division, Cochin.)

A case history on the phenomenal corrosion of marine propellers in fishing boats. Fish. Technol., 10(1): 21-23. 7 ref.

141. \_\_\_\_\_ 1973

(Central Institute of Fisheries Technology, Craft and Gear Division, Cochin-11)

Utilization of treated wood, steel, fibreglass, ferrocement and aluminium in the construction of modern fishing boats and their comparative cost analysis. Ibid, 10(1): 33-43

Merits and demerits of different boat-building materials as well as a comparative account of their costs have been presented.

142. Belsare, D.K and S.R. Murthy 1969

(1. Department of Zoology, Nagpur University, Nagpur.

2. Division of Experimental Medicine, Central Drug Research Institute, Lucknow (India).

Effects of hypophysectomy and goitrogen treatment on ovarian compensatory hypertrophy in Clarias batrachus L. Indian J. Zool., 10(3, Part-1): 97-106

The effects of hypophysectomy and thiourea treatment in hemiovariectomised catfish C. batrachus have been discussed. The hemiovariectomy results in an acceleration in the growth and maturation of the oocytes in the remaining ovary as reported by the authors. Free cholesterol is reduced with an increase of cholesterol esters in the ovary. Effects of H<sub>2</sub>O on the pituitary gland have also been discussed. 39 ref.



143. Bennet, P. Sam 1971

(Central Marine Fisheries Research Institute Substation, Tuticorin-1).

On the collection of young bill fishes from Vizhingam. Indian J. Fish., 18(1 & 2):177-179

Describes the young bill fishes collected from Vizhingam. The fishes are tentatively assigned to the genus Tetrapturus by the author. 6 ref.

144. Bhaskaran, M. and P. Gopalakrishnan 1971

(Marine Biological Research Station, Port Okha ).

Observations on the marine plankton in the Gulf of Kutch, off Port Okha. Ibid, 18(1 & 2): 39-

Gives an account of quantitative and qualitative distribution of the plankton off Port Okha. 13 ref.

145. Borkar, V.D. 1973.

(Maharashtra Association for the Cultivation of Science, Poona-4).

New fossil fishes from the inter-trappean beds in Surendrangar district, Gujarat State.

Curr. Sci., 42(12):422-423.

Fossil fishes recovered from Surendranagar district in Gujarat State are described. As the author reports these fossil fish fauna may have important bearing on the palaeo ecology and palaeo-geography of the Inter-trappean series. 7 ref.

146. Cecily, P.J.<sup>1</sup> and M.K. Kunjappan<sup>2</sup> 1973

(<sup>1</sup>Central Institute of Fisheries Technology, Craft and Gear Division, Cochin-5. <sup>2</sup>Cochin Port Trust, Cochin-2).

Preservation of cotton fish-net twines by tanning II. Fixation of tannin. Fish. Technol., 10(1):24-32.



Action of fixatives on different tannin groups have been discussed. Potassium dichromate and copper sulphate were used as oxidising agents in this study. 25 ref.

147. Chandrasekhar, K. 1971  
(Institute of Medical Sciences, Surgical Research Laboratory, Banaras Hindu University, Varanasi).  
Memoir on Cirrhinia mrigala. Ind. J. Zoot.,  
12(1):1-87.

Morphology, anatomy and different systems of C. mrigala have been described. Spawning and development of the fish have also been dealt with. 52 ref.

148. Dayansagar, V.R.<sup>1</sup> and R.D. Dharurkar<sup>2</sup> 1972  
(<sup>1</sup>Post graduate Dept. of Botany, Nagpur University Campus, Nagpur-10. <sup>2</sup>Botany Dept. Institute of Science, Bombay-32).  
Control of Eichhornia crassipes (water-hyacinth)  
J. biol. Sci., Bombay 15(1&2):7-12

Results of investigation on the effect of sodium pentachlorophenate, a herbicide, on water-hyacinth during different seasons have been presented. 11 ref.

149. Dehadrai, Padmakar, V. 1972  
(Central Fisheries, Laheriasarai, Darbhanga, Bihar)  
Physiology of gas secretion in the swim bladder of certain air-breathing teleosts. Ibid, 15(1&2):  
56-63.

Presents observations on the utilization of gas from swim bladder in Ophicephalus spp. and Colisa fasciata. Gas secretion in Ophiocephalus spp. is reported to be vagus controlled. Effects of dihydroergotamine and adrenaline on the gas secretion mechanism of the swim bladder in the above species has also been reported. 10 ref.



150. Desai, V.R. 1972

(Central Fisheries, Rihand, P.O. Turra,  
Dist. Mirzapur, U.P.)

Notes on the early larval stages of Tor  
putitora (Hamilton) from Narmada river.

J. zool. Soc. India, 24(1):47-51. 11 ref.

151. Dhawan, M. Rajinder 1971

(National Institute of Oceanography, Panaji, Goa).

On an unusual abundance of Pseudosciaena  
diacanthus (Lacepede) off Goa. Indian J. Fish.,  
18(1 & 2):191-193.

From the observation of unusually large landings  
of P. diacanthus in November 1964 and September-October,  
1965 off Goa the author has discussed the possibilities  
of finding out a new fishing ground for the species in the  
deeper region along the Goa coast. 3 ref.

152. Druzhinin, A.D. 1971

(U.S.S.R., Moscow, V-140 Verchne - Krasne -  
selskaya 17/1, VNIRO ).

The distribution of Lutjanidae and Sciaenidae  
(Pisces) in the Indian ocean. Ibid, 18(1 & 2):  
52-66. 38 ref.

153. Francis Thomas and Cyriac Mathen 1973

(Central Institute of Fisheries Technology,  
Cochin-11).

Quality tolerances for water for use in fish  
processing. Fish Technol, 10(1):85-87.

Effects of different chemical constituents of  
water used for freezing of prawn and their effects on the  
quality of prawns during cold storage have been discussed.  
9 ref.



154. Gangadhara, N.S. & T.R.R. Ramaiah 1969  
 (Department of Chemistry, Manasa Gangotri, University of Mysore).  
 Seasonal changes in some of the biochemical constituents in the reproductive organs of the female skipper frog Rana cyanophlyctis Schneider. Indian J. zool., 10(3, part 1):151-154.
- Changes in the biochemical constituents in the ovary during different seasons as well as the seasonal gravimetric changes in ovary, oviduct and liver have been dealt with. As reported by the authors the gravimetric changes follow the changes in the biochemical constituents. 15 ref.
155. George, A.I. and M.S. Nazir Ahmed 1973  
 (Directorate of fisheries, Kerala, Trivandrum-10).  
 A note on the collection of two-tagged? gar fish, Ablennes hians (Valenciennes) (Belonidae: Pisces) from Vizhinjam, south-west coast of India. Curr. Sci., 42(14):512 p.
156. George, Chinname 1973  
 (Central Institute of Fisheries Technology, Ernakulam, Cochin-11).  
 Technological aspects of preservation and processing of edible shell fishes. III Factors influencing the keeping quality of crab (Scylla serrata) during freezing and frozen storage. Fish. Technol., 10(1): 15-20.
- Possible factors leading to the loss of flavour and general quality of crab during freezing and frozen storage have been discussed. 16 ref.
157. George, V.C., R.M. Naidu and K.K. Kunjipalu 1973  
 (Central Institute of Fisheries Technology, ( Craft and Gear Division) Cochin ).  
 Exploratory fishing experiments in Hirakud reservoir - Orissa State (1967-70). Ibid, 10(1):71-78.



Results of investigation have shown that fishery of the reservoir is contributed principally by C. mrigala, C. catla, L. fimbriatus and S. silondia. Month-wise and Zonewise catch statistics have been presented. Physical factors influencing the catch have also been dealt with. 5 ref.

158. Gnanamuttu, J.C. 1971

(Central Marine Fisheries Research Institute; Sub-stn. Madra-8).

On the occurrence of Rastrelliger faughni Matsui in the Indian waters. Indian J. Fish., 18(1 & 2): 170-173.

Reports the presence of R. faughni from the Indian ocean which according to the author is the first report of the species in Indian water. Comparative account of different species of the genus Rastrelliger have also been given. 6 ref.

159. Gopalakrishna Iyer, T.S. Annamma Mathew, A.C. Joseph, K. Krishna Rao & V.K. Pillai 1973

(Central Institute of Fisheries Technology, Ernakulum, Cochin-11).

Faecal streptococci in fresh frozen shrimp. Fish. Technol., 10(1):66-70 . 6 ref.

160. Gore, P.S. and S.Y.S. Singbal 1973

(National Institute of Oceanography, Miramar, Panaji, Goa).

Ecology and production in two sandy beaches of Goa Part (A) . Distribution of bacteria in Colva and Siridaon in relation to certain environmental parameters. Ibid, 10(1):55-60.

Gives an account of the bacterial flora of Colva and Siridaon at high tide, mid-tide and low tide levels during the pre-monsoon period. Co-relation of different nutrients with the bacterial counts have been discussed. 12 ref.

161. Goswami, Shashi, V and Bangalore I. Sundararaj 1969  
(Department of Zoology, University of Delhi, Delhi-7).  
Demonstration of pituitary-gonad interrelationship:  
A seasonal study of ovarian response to hemiovariectomy in the catfish Heteropneustes fossilis (Bloch).  
Indian J. Zool., 10(3, part-1):130-138.

Effects of HO on the ovary of the cat fish, H. fossilis during different periods of the reproductive cycle have been discussed. It was observed by the authors that compensatory hypertrophy fastest during the spawning period. 11 ref.

162. Government of Andhra Pradesh  
Annual Administration report of the Department of Fisheries, 1970-71. 153p.

163. Grover, S.P. 1971  
(Department of Zoology, D.V.A. Post graduate College, DehraDun (U.P.) ).  
Some biological notes on Barilius bendelisis (Hamilton)  
Indian J. Fish., 18(1 & 2):182-183.

Food and feeding habit, breeding habit and breeding season etc of B. bendelisis have been discussed. Some indentifying characters of fry are also presented. 5 ref.

164. Jayaram, K.C. 1967  
(Zoological Survey of India, Southern Regional Stn. Madra-4).  
Contributions to the study of bagrid fishes. 8. Systematic position of Hamilton's Pimelodus rama and Pimelodus chandramara (Siluroidea : Bagridae). Rec. zool. Surv. India, 65(1-4):233-238

The systematic position of two species of the Genus Pimelodus described earlier by Hamilton have been discussed. The species are reported to be rare. A brief description, depending upon previous illustrations and data of the fishes have been given which might help identification of the fishes of the genus. 11 ref.



165. \_\_\_\_\_, 1971  
 (Zoological Survey of India, Southern Regional Stn.  
 Gramani Street, Madras-4).  
 Contributions to the study of bagrid fishes  
 8. Generic status of Aorichthys wu (Siluroidea :  
 Bagridae). Proc. zool. Soc., Calcutta , 24(2):149-156.  
 14 ref.
166. Jhingran, V.G. 1973  
 (Central Inland Fisheries Research Institute, Barrackpore).  
 Fish culture and nutrition. Inland Fisheries  
 Research Institute's work. Yojana, 17(5):228-229.
167. Kagwade, P.V. 1971  
 (Central Marine Fisheries Research Institute, Sub-stn.,  
 Bombay-1).  
 Age and growth of Polynemus heptadactylus Cuv. and Val.  
 from the Bombay Saurashtra region. Indian J. Fish.,  
18(1 & 2):33-51.  
  
 Age and growth of P. heptadactylus as revealed from  
 the studies of length frequency distribution, scales and otoliths  
 have been discussed. 14 ref.
168. \_\_\_\_\_ 1971  
 (Central Marine Fisheries Research Institute, Sub-Stn.,  
 Bombay-1).  
 Age and growth of Polydactylus indicus (Shaw). Ibid,  
18(1 & 2):165-169.  
  
 Deals with the determination of age and growth from the  
 scales of P. indicus. Nature of the rings on the scales & number  
 of rings in relation to fish length have been discussed. 7 ref.
169. Kaliyamurthy, M. 1973  
 (Central Inland Fisheries Research Institute, 19A,  
 Patel Road, Madras-11, India).  
 Observations on the transparency of the waters of the  
 Pulicat lake with particular reference to plankton  
 production. Hydrobiologia, 41(1):3-11.

Sectoral and seasonal variations in the transparency and effects of tides on the turbidity of the waters of the Pulicat lake have been presented. Relation between plankton production and transparency has been discussed. 14 ref.

170. Kanakaraj, S.R.<sup>1</sup> and M. Appaswamy Rao<sup>2</sup> 1969  
 (1Department of Zoology, Mansa Gangotri, University of Mysore, Mysore-6, India. 2Department of Zoology Karnataka University, Dharwar-3, India).  
 Role of adrenals in ovulation and spawning in the skipper frog Rana cyanophlyctis Schn. Indian J. Zoot., 10(3, part 1):172-175.

The paper is an attempt at assessing the role of adrenals in ovulation and spawning. 11 ref.

171. Kartha, K.N. and K.A. Sadanandan 1973  
 (Central Institute of Fisheries Technology, Cochin-11).  
 On the design, operation and efficiency of 11M dual purpose trawl for small mechanised boats. Fish. Technol., 10(1):79-84.

The design of the gear and its efficiency in fishing have been given. A comparative account of the dual purpose trawl and bottom trawl have also been given. 11 ref.

172. Krishnamoorthi, B. 1971.  
 (Central Marine Fisheries Research Institute, Sub. stn., Visakhapatnam-3).  
 Biology of the thread fin bream, Nemipterus japonicus (Bloch). Indian J. Fish., 18(1 & 2):1-21.

Food & feeding habit, growth, length-weight relationship, spawning period etc. of N. japonicus have been presented. 16 ref.



173. Krishnamoorthi, K.P.<sup>1</sup>, W.M.Deshpande<sup>2</sup> and G.J. Mohan Rao<sup>3</sup> 1971  
 ( <sup>1</sup> & <sup>3</sup> Central Public Health Engineering Research  
 Institute, Nehru Marg, Nagpur-10. <sup>2</sup>Regional College  
 of Engineering, Nagpur).  
 Toxicity studies of photo-film wastes. Ibid, 18(1 & 2):  
 22-32.

Toxic effects of the discharges of photo film industry,  
 on fishes like Puntius ticto and Rasbora daniconius have been  
 discussed. 4 ref.

174. Kuriyan, G.K. 1973  
 Fishing gear in freshwater reservoirs of India.  
Fish. Technol., 10(1):1-5. 9 ref.

175. Kuthalingam, M.D.K. and A. Chellam 1971  
 (Central Marine Fisheries Research Institute, Sub-  
 station, Vizhinjam).  
 Results of exploratory trawl fishing off Cannanore  
 by the Indo-Norwegian project vessels. Indian J. Fish.,  
18( 1 & 2):156-164.

Results of investigations carried out by the Indo-  
 Norwegian project vessels to assess the offshore fishery  
 resources off cannore have been discussed. Food and feeding  
 habits of 31 species of fish and 3 species of prawns have  
 also been reported. 6 ref.

176. Lewis, Norman F. 1973  
 (Biochemistry and Food Technology Division, Bhabha  
 Atomic Research Centre, Trombay, Bombay-85 ).  
 Radio-resistant micrococcus Radiophilus sp. Nov.  
 isolated from irradiated bombay duck (Harpodon  
nehereus ). Curr. Sci., 42(14):504 p. 8 ref.

177. Madhavan, P. and T.S. Unnikrishnan Nair 1973  
(Central Institute of Fisheries Technology, Cochin<sup>11</sup>)  
Utilization of sardines. Fish. Technol., 10(1):44-51.
- Problems and prospects of proper utilization of S. longiceps have been dealt with. Utilisation of sardine oil as industrially useful product has also been discussed.  
23 ref.
178. Mahadevan Pillai, P.K. 1971  
(Central Marine Fisheries Research Institute, Sub-Station, Tuticorin).  
Juvenile stages of a file-fish assigned to Paramonacanthus Choirocephalus (Bleeker). Indian J. Fish., 18(1 & 2):184-186. 8 ref.
179. Marathe, V.B. and R.G. Pashine 1972  
(Department of Zoology, Institute of Science, Nagpur-1).  
Observations on the Chondrocranium of Labeo rohita (cuv. & Val.) J. biol. Sci., Bombay, 15(1 & 2):85-93.  
18 ref.
180. Marichamy, R. 1971  
(Central Marine Fisheries Research Institute, : Unit, Port Blair, Andemans ).  
Maturity and spawning of the spotted herring, Herklosichthys punctatus (Ruppel) from the Andaman sea. Indian J. Fish., 18(1 & 2):148-155.
- Fecundity, maturity stages, spawning habits and periodicity of spawning in relation to fish length in case of H. punctatus are discussed. 9 ref.
181. Mojumdar, P. 1971  
(Central Marine Fisheries Research Sub-station, Visakhapatnam-3).  
Length weight relationship in the catfish, Tachysurus thalassinus (Ruppell). Ibid, 18(1 & 2):179-182. 4 ref.



182. Nair, K.V. Somasekharan<sup>1</sup> and A. Chellam<sup>2</sup> 1971  
 (1 Central Marine Fisheries Research Institute,  
 Sub-stn. Calicut-5. 2 Central Marine Fisheries  
 Research Institute; Sub-station, Tuticorin-1).  
 An abnormal sting-ray caught off Calicut. Ibid,  
18(1 & 2):193-195.

An abnormal sting-ray which exhibited unfused anterior lobes of the pectoral fins has been described. 7 ref.

183. Narayanan Nambiar, V. and K. Mahadeva Iyar 1973  
 (Central Institute of Fisheries Technology, Ernakulam,  
 Cochin-11).  
 Bacteriological investigations of prawn canneries  
 II. Incidence of Clostridium perfringens. Fish.  
Technol., 10(1):6-14.

From the results of investigations on samples of prawns, prawn guts, frozen and canned prawns etc. it was observed by the author that incidence of C. perfringens was highest in prawn guts (80%) and nil in canned prawns. 21 ref.

184. Nath Dharmendra 1972  
 (Deputy Director, Animal Husbandry, Intensive Cattle  
 Development Project, Meerut, U.P.).  
 On a psilostomatid metacercaria from the Indian pond  
 frog Rana cyanophlyctis : A note. Indian J. Anim. Sci.,  
42(11):960-961. 2 ref.

185. Noble, A. 1971  
 (Central Marine Fisheries Research Institute, Cochin-11).  
 Some deformities noticed in the Indian mackerel,  
Rastrelliger Kanagurta (Cuvier). Indian J. Fish.,  
18(1 & 2):187-191.

Abnormalities of different body parts of R. kanagurta have been described. As reported by the author irregularity in the caudal region was the most common one. 4 ref.

186. Ovais Mohammad and S.S. Gupta 1973  
(Department of Pharmacology, Gandhi Medical College, Bhopal).  
Histamine content of the digestive tract in a teleostean fish Heteropneustes fossilis in relation to spawning. Curr. Sci., 42(11):404 p. 9 ref.
187. Pande, B.P.<sup>1</sup> and R.P. Shukla<sup>2</sup> 1972  
(<sup>1</sup>Retd. Scientist (Formerly Prof. of Parasitology)  
<sup>2</sup>Junior Research Fellow, Central Drug Research Institute, Lucknow, U.P.)  
Metacercarial cyst of Haplorchis pumilio, its development in experimental mammals and two other heterophyid infections of freshwater fishes and their Zoonotic significance. Indian J. Anim. Sci., 42(11): 971-978. 15 ref.
188. Parameswaran, S.<sup>1</sup>, S. Radhakrishnan<sup>2</sup>, C. Selvaraj<sup>3</sup> and B.R. Bhuyan<sup>4</sup>. 1971  
(<sup>1</sup>Co-ordinated Project on Air-Breathing Fishes, Central Inland Fisheries Research Institute, Bhadra Reservoir Project, Shimoga Dist. Mysore State.  
<sup>2</sup>Central Inland Fisheries Research Unit, 19A, Patel Road, Madras-11, Tamil Nadu. <sup>3</sup>Co-ordinated Project on Reservoir Fisheries, Central Inland Fisheries Research Institute, Bhavanisagar, Tamil Nadu. <sup>4</sup>Regional Research Laboratory, Jorhat, Assam).  
Fish yield from Assam ponds kept under different experimental conditions. Indian J. Fish., 18(1 & 2): 67-83. 19 ref.
189. Rangarajan, K. 1971  
(Central Marine Fisheries Research Institute, Sub-station, Madras-8).  
Maturity and spawning of the snapper, Lutianus kasmira (Forsk.) from the Andaman sea. Ibid, 18(1 & 2):114-125.  
Sex-ratio, maturity stages, spawning periodicity etc. of L. kasmira around the Andamans have been presented. 9 ref.



190. Rathi, S.K. 1969

(Department of Zoology, Government post graduate College, Kota, Rajasthan, India).

Response of testes to TP and irradiation in the Indian catfish Heteropneustes fossilis (Bloch). Indian J. Zoot., 10(3, part I):176-179.

Effect of Testosterone propionate on the male H. fossilis indicated 327 increase in the weight of the testes as reported by the author. TP administration along with radioisotopes reduces the testicular weight. The author reports that TP with radioisotopes or irradiated testes showed degenerative features in the testes as revealed from the histological studies. 8 ref.

191. Sankaran, K. and Shantoo Gurnani 1972

(Biochemistry and Food Technology Division, Bhabha Atomic Research Centre, Bombay-85).

On the variation in the catalytic activity of lysozyme in fishes. Indian J. Biochem Biophys, 9(2):162-165.

Results of investigations on the activity of the enzyme, Lysozyme, in the Liver, gills and muscles of some freshwater and marine fishes have been presented. A procedure for partial purification of the enzyme from the liver of Tilapia mossambica has been described. 12 ref.

192. Saraswat, R.C.<sup>1</sup> and Newton Ram<sup>2</sup> 1971

(<sup>1</sup>Department of Chemistry, K.R. College, Mathura.

<sup>2</sup>Department of Chemistry, Agra College, Agra ).

Some organic constituents of fins of the cat-fish, Wallago attu (BL. and Shn.) Indian J. Fish. 18(1 & 2): 126-128.

Total nitrogen, crude fat and protein of the fins of W. attu in relation to growth stages have been given. 5 ref.

193. Savant, K.V. 1973

(Biology Department, B.N.N. College, Bhiwandi, Dist. Thana, Maharashtra State, India).

A note on the first record of Isopod parasite Bopyrella hogarti (Chopra) on West coast of India. Curr. Sci., 42(9):330-331.

An isopod parasite, infecting a prawn collected from Elephanta island off Bombay, has been described with special reference to its distribution record. 3 ref.

1

2

194. Sharma, K.P. and S.D. Kulshrestha 1973

(<sup>1</sup>Fisheries Development Officer Kota. <sup>2</sup>Department of Zoology, Government College, Kota, Rajasthan).

Comparative effects of aureomycin, B-complex and yeast on survival rate of common carp, Cyprinus carpio L. from three days to 25 days of life. Proc. Indian Acad. Sci., 77(3):109-115.

Reports that aureomycin, B-complex and yeast in combination significantly enhance the growth of common carp fry. 10 ref.

195. Srinivasan, V.V. and K. Chandra Mohan 1973

(Marine organisms Scheme, Madras Centre (F.R.I.), Zoological Research Laboratories, University of Madras, Madras-5).

A method of immersion of panels for ecological studies on marine fouling and boring organisms. Fish. Technl., 10(1):88-90. 3 ref.

196. Srivastava, S.S. and A.G. Sathyanesan 1969

(Department of Zoology and Surgical Research Laboratory College of Medical Sciences, Banaras Hindu University, Varanasi-5, India).

A comparative experimental study of the pharyngeal and ectopic renal thyroid in the freshwater teleost, Puntius sophore (Ham.) (Barbus stigma). Indian J. Zoot., 10(3, part I): 161-169.



Results of investigations on the renal and pharyngeal thyroid on the basis of I - 131 uptake and response of these tissues to thyroid inhibitors and stimulators in P. sophore have been presented. 38 ref.

197. Subramonia Pillai, N. V. Vijayan and S. Gopalan Nayar 1973  
(Central Institute of Fisheries Technology, Cochin ).  
Effect of weight of otter boards on the horizontal opening of trawl nets. Fish. Technol. 10(1):52-54.  
7 ref.
198. Sundara Rajulu, G. G. Santhanakrishnan and S. Shyamalanath 1973  
(Departments of Zoology, Madras University and New College, Madras-5).  
Nature of the sex-attractant pheromone in a crab Paratelphusa hydrodromus (crustacea). Curr. Sci., 42(13):467-468. 10 ref.
199. Talwar, P.K. 1972  
(Zoological Survey of India, Calcutta).  
Systematic status of Carangoides malabaricus (Schneider, 1801) and Carangoides caeruleopinnatus (Rüppell, 1828) ( Pisces : Carangidae ). J. Bombay nat. Hist. Soc., 69(3):518-522. 22 ref.
200. Talwar, P.K. and T.K. Sen 1967  
(Zoological Survey of India, Calcutta).  
On some fishes from the Madras coast with description of a new species of the family Clinidae. Rec. zool. Surv. India, 65(1-4):243-251.

Distributional records of different species of fish collected from the south-east coast of India have been dealt with. Some species of fish, not recorded so far from Madras coast, have also been described in this paper which also deals with description of a new species as reported by the authors.  
9 ref.

201. Tilak Raj 1967  
(Zoological Survey of India, Calcutta).  
The fishes of river Tawi and its tributaries  
(Jammu & Kashmir State) with notes on ecology.  
Ibid, 65(1-4):183-217.

Gives an account of 38 species of fishes, recorded from the river Tawi and its tributaries and the mode of migration of some of the Tawi fishes. Different fishing methods and gear employed in fishing in the river have also been discussed. 28 ref.

202. Unnikrishnan Nair, N. 1973  
(Central Institute of Fisheries Technology, Craft and Gear Division, Cochin-11).  
Observations on the fouling characteristics of four bryozoans in Cochin harbour. Fish. Technol., 10(1):61-65.

Characteristic features of the settlement of fouling bryozoans, the distribution of the bryozoans and seasonal succession of the four species of bryozoans in Cochin harbour have been reported. 18 ref.

203. Varghese, T.J. 1973  
(Fisheries College, University of Agricultural Sciences, Mangalore).  
The fecundity of the rohu, Labeo rohita (Hamilton). Proc. Indian Acad. Sci., B, 77(5):214-224. 13 ref.

The relationships between total length and fecundity, total weight and fecundity, ovary weight and fecundity etc. in L. rohita have been discussed. Percentage of eggs retained in the ovary of rohu during spawning has also been dealt with. 13 ref.

204. Vasudevan, P, S.G.A. Rao and S.R.V. Rao 1973  
(Section of Tissue Culture & Cytogenetics, Department of Zoology, Delhi University, Delhi-7 ).  
Somatic and meiotic chromosomes of Heteropneustes fossilis (Bloch). Curr. Sci., 42(12):427-428. 12 ref.



205. Vedavyasa Rao, P. and M. Kathirvel 1971  
(Central Marine Fisheries Research Institute, Cochin-11).  
On the seasonal occurrence of Penaeus semisulcatus  
De Haan, Panulirus polyphagus (Herbst) and Portunus (P)  
pelagicus (Linn.) in the Cochin backwater. Indian J.  
Fish., 18(1 & 2):129-134.

Distribution and abundance of Penaeus semisulcatus and  
Portunus petagicus in relation to different hydrological factors  
are presented. Occurrence of the post larvae of P. polyphagus,  
a marine lobster, in the backwaters of Chochin is also reported.  
17 ref.

206. Verghise, P.U. 1969  
(Central Inland Fisheries Research Institute, Barrackpore).  
Effect of pituitary hormone injection on the carp,  
Cirrhina reba (Ham.) in relation to day-length and  
temperature. Indian J. Zoot., 10(3, Part I):155-160.

Influence of longer photoperiod and temperature on the  
maturity of C. reba results in the maturity prior to breeding  
season. Effects of pituitary extract treatment under different  
water temperature in such fishes have been presented. Effect of  
light on the maturation and temperature on the induced breeding  
of the fish have been discussed. 17 ref.

- 207..Warrier, S.B.K., V.Ninjoor, P.L. Sawant and U.S. Kumta 1972  
(Biochemistry & Food Technology Division, Bhabha Atomic  
Research Centre, Trombay, Bombay-85).  
Lysosomal enzymes in drip & muscle of Harpodon  
nehereus. Indian J. Biochem. Biophys., 9(2):207-209.  
9 ref.

208. Ghosh, M.C. and R.K. Barua 1972  
(Department of Chemistry, Jorhat Engineering College,  
Jorhat-7 ).  
Occurrence of 3-dehydroretinyl ester & anhydro-  
vitamin A<sub>1</sub> in eggs of certain species of freshwater  
fishes of<sup>1</sup>Assam. Ibid., 9(2): 209-210. 19 ref.





## II. AUTHOR INDEX

Every author's name appearing in the original article is listed alphabetically, including corporate bodies (societies, organisations etc.), whether occurring as single or multiple words. (Reference is given to the serial No. of the entry).

Achari, G.P.K.	...	134
Annamma Mathew, T.S.	...	159
Annigeri, G.G.	...	135
Anon	...	136
Antony Raja, B.T.	...	137 & 138
Appaswamy Rao, M.	...	170
Balan, V.	...	139
*Balasubramanyan, R.	...	140 & 141
Belsare, D.K.	...	142
Bennet, P. Sam	...	143
Bhaskaran, M.	...	144
Bhuyan, B.R.	...	188
Borkar, V.D.	...	145
Cecily, P.J.	...	146
Chandra Mohan, K.	...	195
Chandrasekhar, K.	...	147
Chellam, A.	...	175 & 182
Dayansagar, V.R.	...	148
Dehadrai, P.V.	...	149
Desai, V.R.	...	150
Deshpande, W.M.	...	173
Dharurkar, R.D.	...	148
Dhawan, M. Rajinder	...	151
Druzhinin, A.D.	...	152
Francis, Thomas	...	153
Gangadhara, N.S.	...	154
George, A.I.	...	155
George, C.	...	156
George, V.C.	...	157
**Gnanamuttu, J.C.	...	158
Gopalakrishna Iyer, T.S.	...	159
Gopalakrishnan, P.	...	144
Gopalan Nayar, S.	...	197
Gore, P.S.	...	160
Goswami, S.V.	...	161
Grover, S.P.	...	163
Gupta, S.S.	...	186
Gurnani, S.	...	191
Jayaram, K.C.	...	164 & 165
*Barua, R.K.	...	208
**Ghosh, M.C.	...	208

	Jhingran, V.G.	...	166
	Joseph, A.C.	...	159
	Kagwade, P.V.	...	167 & 168
	Kaliyamurthy, M.	...	169
	Kanakaraj, S.R.	...	170
	Kartha, K.N.	...	171
	Kathirvel, M.	...	205
	Krishnamoorthi, B.	...	172
	Krishnamoorthi, K.P.	...	173
	Krishna Rao, K.	...	159
	Kulshrestha, S.D.	...	194
*	Kunjappan, M.K.	...	146
	Kunjpal, K.K.	...	157
	Kuriyan, G.K.	...	174
	Kuthalingam, M.D.K.	...	175
	Lewis, N.F.	...	176
	Madhavan, P.	...	177
	Mahadeva Iyar, K.	...	183
	Mahadevan Pillai, P.K.	...	178
	Marathe, V.B.	...	179
	Marichamy, R.	...	180
	Mathen, Cyriac	...	153
	Mohan Rao, G.J.	...	173
	Mojumdar, P.	...	181
	Murthy, S.R.	...	142
	Naidu, R.M.	...	157
	Nair, K.V.	...	182
	Narayanan, N.V.	...	183
	Nath, D.	...	184
**	Nazir Ahmed, M.S.	...	155
	Noble, A.	...	185
	Ovais, Mohammad	...	186
	Pande, B.P.	...	187
	Parameswaran, S.	...	188
	Pashine, R.G.	...	179
	Pillai, V.K.	...	159
	Radhakrishnan, S.	...	188
	Ram, Newton	...	192
	Ramaiah, T.R.R.	...	184
	Rangarajan, K.	...	189
	Rao, S.G.A.	...	204
	Rao, S.R.V.	...	204
	Rathi, S.K.	...	190
	Sadanandan, K.A.	...	171
	Sankaran, K.	...	191
*	Kumta, U.S.	...	207
**	Ninjoor, V.	...	207



Santhanakrishnan, G.	...	198
Saraswat, R.C.	...	192
Sathyanesan, A.G.	...	196
Savant, K.V.	...	193
Selvaraj, C.	...	188
Sen, T.K.	...	200
Sharma, K.P.	...	194
Shukla, R.P.	...	187
Shyamalanath, S.	...	198
Singhal, S.Y.S.	...	160
Somasekharan, K.V.	...	182
Srinivasan, V.V.	...	195
Srivastava, S.S.	...	196
Subramonia Pillai, N.	...	197
Sundararaj, B.I.	...	161
Sundara Rajulu, G.	...	198
Talwar, P.K.	...	199 & 200
Tilak Raj	...	201
Unnikrishnan Nair, N.	...	202
Unnikrishnan Nair, T.S.	...	177
Varghese, T.J.	...	203
Vasudevan, P.	...	204
Vedavyasa Rao, P.	...	205
Verghise, P.U.	...	206
Vijayan, V.	...	197
Warrier, S.B.K.	...	207
* Savant, P.L.	...	207





III. Subject Index

( Subject headings with their sub-headings  
are listed alphabetically. Reference is  
given to the serial number of the entry)

BIBLIOGRAPHY, ABSTRACTS ETC	....	147
BIOCHEMISTRY	....	154, 186, 192 & 208
DISTRIBUTION & ECOLOGY		
<u>Distribution</u>	....	152 & 158
EXPERIMENTAL & EXPLORATORY FISHING	....	157 & 175
FISH CULTURE		
<u>Freshwater fish culture</u>	....	188
FISH CYTOLOGY & GENETICS	....	204
FISH EGGS, LARVAE & JUVENILES	....	143 & 150
FISH MORTALITY	....	135
FISH PALAEOLOGY	....	145
FISH TECHNOLOGY	....	140, 141, 146, 153, 156, 159, 171, 177, 183 & 197
FISHERIES BIOLOGY & POPULATION DYNAMICS ..		137, 139, 151, 163, 167, 168, 172, 180, 181, 189, 194, 201 & 203
FISHING METHODS & GEAR:		
<u>General</u>	....	201
<u>Nets and Net fishing</u>	....	174
FOULING ORGANISMS	....	195 & 200
GENERAL REPORTS	....	136, 138, 160, 162 & 166
MORPHOLOGY, ANATOMY & HISTOLOGY	....	179, 182 & 185
PATHOLOGY		
<u>Fish</u>	....	187 & 193
<u>Frog</u>	....	184
PHYSIOLOGY	....	142, 149, 161, 170, 190, 191, 196, 206 & 207
PLANKTON		
<u>General</u>	....	144 & 169
RADIO-BIOLOGY	....	176
SHELL FISH FISHERIES		
<u>Crustacean fisheries</u>	....	134, 198 & 205
SYSTEMATICS	....	164, 165, 178, 199 & 200
<u>Fish</u>	....	155
TAGGING & MARKING	....	173
WATER POLLUTION	....	
WEEDS & WEED CONTROL	....	148
<u>Weed control</u>		





## IV TAXONOMIC INDEX

(Based on the taxonomic terms of the Fishes, Forgs, Prawns & Crabs occurring in the title and also in the body of the paper. The names of other groups appear as per their taxonomic status in the Animal Kingdom. Names of the authorities have been omitted from taxonomic terms).

<u>Ablennes hians</u>	...	155
<u>Acentrogobius cyanomos</u>	...	200
<u>Alectis indicus</u>	...	200
<u>Ambassis interrupta</u>	...	200
<u>Amblyceps mangois</u>	...	201
<u>Amblypharyngodon mola</u>	...	187
<u>Anampses sp.</u>	...	200
<u>Antennarius hispidus</u>	...	200
<u>Aphareus furcatus</u>	...	152
<u>A. rutilans</u>	...	152
<u>Apistus carinatus</u>	...	200
<u>Apogon fœnatus</u>	...	200
<u>Aprion virescens</u>	...	152
<u>Asailus fuscus</u>	...	152
<u>A. zonatus</u>	...	152
<u>Archamia lineolata</u>	...	200
<u>Artemia salina</u>	...	134
<u>Aspidopria morar</u>	...	201
<u>Atractoscion auquidens</u>	...	152
<u>Autisthes puta</u>	...	200
<u>Badis badis</u>	...	201
<u>Barilius barila</u>	...	201
<u>B. bendelisis</u>	...	163 & 201
<u>B. modestus</u>	...	201
<u>B. shacra</u>	...	201
<u>B. vagra</u>	...	201
<u>Blennius cristatus</u>	...	200
<u>Boleophthalmus boddaeæti</u>	...	200
<u>Botia birdi</u>	...	201
<u>Caesio caerulaureus</u>	...	152
<u>C. cyrysozona</u>	...	152
<u>C. diagramma</u>	...	152
<u>C. erythrogaster</u>	...	152
<u>C. lunaris</u>	...	152
<u>C. pisang</u>	...	152
<u>C. pulcherrimus</u>	...	152
<u>C. tile</u>	...	152
<u>C. xanthonotus</u>	...	152

<u>Callionymus lineatus</u>	...	200
<u>Caranqoides caeruleopinnatus</u>	...	199
<u>C. malabaricus</u>	...	199 & 200
<u>Caranx kalla</u>	...	175
<u>Catla catla</u>	...	157 & 188
<u>Channa marulius</u>	...	149 & 201
<u>C. orientalis</u>	...	201
<u>C. punctatus</u>	...	149 & 201
<u>C. striatus</u>	...	149
<u>Chela cachinus</u>	...	201
<u>Chelonodon patoca</u>	...	200
<u>Chrysochir aureus</u>	...	152
<u>Cirrhinus mrigala</u>	...	147, 157, 188 & 201
<u>C. reba</u>	...	187 & 206
<u>Clarias batrachus</u>	...	142
<u>Colisa fasciata</u>	...	149
<u>Crossocheilus diplochilus</u>	...	201
<u>Ctenopharyngodon idellus</u>	...	166
<u>CynoGLOSSUS lingua</u>	...	200
<u>C. semifaciatus</u>	...	175
<u>Cyprinus carpio</u>	...	188 & 194
<u>Danio devario</u>	...	201
<u>Dasyatis imbricata</u>	...	200
<u>Dendrophysa dussumieri</u>	...	152
<u>D. fuscilineata</u>	...	152
<u>D. hooghliensis</u>	...	152
<u>D. macroptera</u>	...	152
<u>D. russelli</u>	...	152
<u>Dussumieria acuta</u>	...	200
<u>Entromacrodus vermiculatus</u>	...	200
<u>Epinephelus chlorostigma</u>	...	200
<u>E. merra</u>	...	200
<u>E. tauvina</u>	...	200
<u>E. undulosus</u>	...	200
<u>Esomus danrica</u>	...	201
<u>Etelis carbunculus</u>	...	152
<u>E. marshi</u>	...	152
<u>Garra gotyla gotyla</u>	...	201
<u>Gastrophysus lunaris</u>	...	200
<u>G. scleratus</u>	...	200
<u>Gazza minuta</u>	...	200
<u>Garras abbreviatus</u>	...	200

<u>Glyptothorax pectinopterus</u>	...	201
<u>Grammolites scaber</u>	...	175
<u>Gymnocaesio gymnopterus</u>	...	152
<u>Gymnura poecilura</u>	...	182
<u>Harpodon nehercus</u>	...	176 & 207
<u>Helcogramma indicus</u>	...	200
<u>Herklosichthys punctatus</u>	...	180
<u>Heteropneustes fossilis</u>	...	161, 186, 190 & 204
<u>Horaclopoma intertrappea</u>	...	145
<u>Istiophorus gladius</u>	...	143
<u>Johnius australis</u>	...	152
<u>J. belengeri</u>	...	152 & 200
<u>J. carutta</u>	...	152 & 200
<u>J. dussumieri</u>	...	152 & 200
<u>J. jubatus</u>	...	152
<u>J. hypostoma</u>	...	152
<u>J. maculatus</u>	...	152
<u>J. novae</u>	...	152
<u>J. osseus</u>	...	152
<u>J. semiloctuosus</u>	...	200
<u>Johnius sp.</u>	...	175
<u>Koala coval</u>	...	187 & 201
<u>Labeo bata</u>	...	201
<u>L. dero</u>	...	201
<u>L. dyocheilus</u>	...	157
<u>L. fimbriatus</u>	...	179, 188 & 203
<u>L. rohita</u>	...	200
<u>Lagocephalus inermis</u>	...	200
<u>Lates calcarifer</u>	...	175 & 200
<u>Leiognathus bindus</u>	...	200
<u>L. blochii</u>	...	175
<u>L. brevirostris</u>	...	200
<u>L. dussumieri</u>	...	175 & 200
<u>L. equulus</u>	...	200
<u>L. lineolatus</u>	...	175 & 200
<u>L. splendens</u>	...	201
<u>Lepidocephalus guntea</u>	...	200
<u>Leputracanthus savala</u>	...	175
<u>Lethrimus nebulosus</u>	...	200
<u>Lutianus johnii</u>	...	189
<u>L. kasmira</u>	...	



<u>Lutjanus argenteimaculatus</u>	...	152
<u>L. digutlatus</u>	...	152
<u>L. bohar</u>	...	152
<u>L. caeruleovittatus</u>	...	152
<u>L. carponotatus</u>	...	152
<u>L. chrysotaenia</u>	...	152
<u>L. coatesi</u>	...	152
<u>L. decussatus</u>	...	152
<u>L. dodecanthoides</u>	...	152
<u>L. duodecinlineatus</u>	...	152
<u>L. erenbergi</u>	...	152
<u>L. erythropterus</u>	...	152
<u>L. fluviflamma</u>	...	152
<u>L. fulvus</u>	...	152
<u>L. fuscescens</u>	...	152
<u>L. gibbus</u>	...	152
<u>L. janthinuropterus</u>	...	152
<u>L. johnii</u>	...	152
<u>L. kasmira</u>	...	152
<u>L. lineolatus</u>	...	152
<u>L. longmani</u>	...	152
<u>L. lunulatus</u>	...	152
<u>L. lutjanus</u>	...	152
<u>L. luzonius</u>	...	152
<u>L. malabaricus</u>	...	152
<u>L. maxweberi</u>	...	152
<u>L. monostigma</u>	...	152
<u>L. memathophorus</u>	...	152
<u>L. rangus</u>	...	152
<u>L. rivulatus</u>	...	152
<u>L. rufolineatus</u>	...	152
<u>L. russellii</u>	...	152
<u>L. sanguineus</u>	...	152
<u>L. sebae</u>	...	152
<u>L. semicinctus</u>	...	152
<u>L. spilurus</u>	...	152
<u>L. vaigiensis</u>	...	152
<u>L. vitta</u>	...	152

<u>Macalor niger</u>	...	152
<u>Macropinos cuja</u>	...	152
<u>Mastacembelus armatus</u>	...	201
<u>M. pancalus</u>	...	201
<u>Metapenaeus affinis</u>	...	175
<u>M. dobsonii</u>	...	175
<u>Minous monodactylus</u>	...	200
<u>Mugil kelaartii</u>	...	200
<u>M. vaigiensis</u>	...	200
<u>Mystus aor</u>	...	165
<u>M. gulio</u>	...	165
<u>M. punctatus</u>	...	165
<u>M. seenghala</u>	...	165 & 201
<u>Nandus nandus</u>	...	187
<u>Nemipterus japonicus</u>	...	172 & 175
<u>Nibea albiflora</u>	...	152
<u>N. coibor</u>	...	152
<u>N. diacanthus</u>	...	152
<u>Nircine brunnea</u>	...	200
<u>Noemacheilus corioa</u>	...	201
<u>N. prashari</u>	...	201
<u>Opisthopterus tardoore</u>	...	175
<u>Ostorhynchus endekataenia</u>	...	200
<u>Otolithoides biauritus</u>	...	152
<u>O. brunneus</u>	...	152
<u>Otolithes argenteus</u>	...	152 & 175
<u>O. maculatus</u>	...	152
<u>O. lateoides</u>	...	152
<u>O. ruber</u>	...	152 & 175
<u>Oxygaster bacaila</u>	...	201

<u>Paleopristolepis feddeni</u>	...	145
<u>Pama pama</u>	...	152
<u>Pampus argenteus</u>	...	175
<u>Panjalo pinjalo</u>	...	152
<u>Panna microdon</u>	...	152
<u>Panulirus polyphagus</u>	...	205
<u>Paracaesio capricornis</u>	...	152
<u>P. xanthurus</u>	...	152
<u>Paramonacanthus choirocephalus</u>	...	178
<u>Parasorpaena bleekeri</u>	...	200
<u>Parastromateus niger</u>	...	200
<u>Paratelphusa hydrodromus</u>	...	198
<u>Pelates quadrilineatus</u>	...	200
<u>Pellona ditchela</u>	...	200
<u>Penaeus semisulcatus</u>	...	205
<u>Perca sp.</u>	...	145
<u>Plotosus canius</u>	...	200
<u>Polydactylus indicus</u>	...	168, 175 & 200
<u>Polynemus heptadactylus</u>	...	167
<u>Portunus pelagicus</u>	...	205
<u>Pristipomoides amoenus</u>	...	152
<u>P. argyrogrammicus</u>	...	152
<u>P. filamentosus</u>	...	152
<u>P. microlepis</u>	...	152
<u>Pseudorhombus arsius</u>	...	200
<u>Pseudosciaena diacanthus</u>	...	151
<u>P. goldmanni</u>	...	152
<u>P. microlepis</u>	...	152
<u>P. polycladiscus</u>	...	152
<u>Pseudotriacanthus strigilifer</u>	...	200
<u>Pungasius pangasius</u>	...	208
<u>Puntius sarana</u>	...	201
<u>P. sophore</u>	...	196 & 201
<u>P. ticto</u>	...	173 & 201
<u>Rama chandramara</u>	...	164
<u>R. rama</u>	...	164
<u>Rana cyanophlyctis</u>	...	154, 170 & 184
<u>Rasbora doniconius</u>	...	173
<u>Rastelliger faughni</u>	...	158
<u>R. kanaqurta</u>	...	175 & 185
<u>Rhabdosargus sarba</u>	...	200
<u>Sardinella fimbriata</u>	...	175
<u>S. longiceps</u>	...	135, 137, 139 & 179



<u>Saurida tumbil</u>	...	175
<u>Sciaena glaucus</u>	...	175
<u>S. macropterus</u>	...	175
<u>Schizothorax plagiostomus</u>	...	201
<u>Scoliodon palassorach</u>	...	175 & 200
<u>S. sorrakowh</u>	...	175
<u>Scolopsis leucotaenia</u>	...	200
<u>Scylla serrata</u>	...	156
<u>Secutor insidiator</u>	...	175
<u>S. ruconius</u>	...	175 & 200
<u>Sillago sihama</u>	...	200
<u>Silonia silondia</u>	...	157 & 208
<u>Sphyraena chrysotaenia</u>	...	200
<u>Stolephorus baganensis</u>	...	200
<u>S. commersonii</u>	...	200
<u>S. indicus</u>	...	200
<u>S. tri</u>	...	200
<u>Tachysurus jella</u>	...	175
<u>T. nenga</u>	...	200
<u>T. thalassinus</u>	...	181
<u>Tetrapturus sp.</u>	...	143
<u>Therapon jarbua</u>	...	200
<u>Thryssa dussumieri</u>	...	200
<u>T. puraua</u>	...	200
<u>Tilapia mossambica</u>	...	191
<u>Tor mosal</u>	...	201
<u>T. putitora</u>	...	150 & 201
<u>Triacanthus biaculeatus</u>	...	200
<u>T. weberi</u>	...	200
<u>Trichiurus savala</u>	...	175
<u>Troquigener oblongus</u>	...	200
<u>Umbrina capensis</u>	...	152
<u>U. robinsoni</u>	...	152
<u>U. sinuata</u>	...	152
<u>Umbrina dussumieri</u>	...	200
<u>U. macroptera</u>	...	200
<u>Upeneus sulphureus</u>	...	175
<u>U. tragula</u>	...	200
<u>Wak axillaris</u>	...	152
<u>W. coitor</u>	...	152 & 200
<u>W. sina</u>	...	152
<u>W. soldado</u>	...	192 & 201
<u>Wallago attu</u>	...	201
<u>Xenentodon cancila</u>	...	



SERIAL INDEX

(Serials are abbreviated according to FAO's World List of Periodicals for Aquatic Sciences and Fisheries and "Insdoc's" Directory of Indian Scientific Periodicals, 1968. Reference is given to the serial number of the entry)

\* Foreign

# Reprint

<u>Annual Adm. Rept. of the Dept. of Fisheries, Govt. of Andhra Pradesh, 1970-71</u>	...	162
<u>Curr. Sci.</u> , 1973, <u>42</u> (9)	...	193
<u>42</u> (11)	...	186
<u>42</u> (12)	...	145 & 204
<u>42</u> (13)	...	198
<u>42</u> (14)	...	155 & 176
<u>Fish. Technol.</u> , 1973, <u>10</u> (1)	...	140, 141, 146, 153, 156, 157, 159, 160, 171, 174, 177, 183, 195, 197 & 202
<u>Hydrobiologia</u> , 1973, <u>41</u> (1)	...	169
<u>Indian J. Anim. Sci.</u> , 1972, <u>42</u> (11)	...	184 & 187
<u>Indian J. Biochem Biophys</u> , 1972, <u>9</u> (2)	...	191, 207 & 208
<u>Indian J. Fish.</u> , 1971, <u>18</u> (1 & 2)	...	134, 135, 137, 138, 139, 143, 144, 151, 152, 158, 163, 167, 168, 172, 173, 175, 178, 180, 181, 182, 185, 188, 189, 192, & 205
<u>Indian J. Zoot.</u> 1969, <u>10</u> (3)	...	142, 154, 161, 170, 190, 196 & 206
1971, <u>12</u> (1)	...	147
<u>J. biol. Sci.</u> , 1972, <u>15</u> (1 & 2)	...	148, 149 & 179
<u>J. Bombay nat. Hist. Soc.</u> , 1972, <u>69</u> (3)	...	199
<u>J. Zool. Soc. India</u> , 1972, <u>24</u> (1)	...	150
<u>Proc. Indian Acad. Sci.</u> , 1973, <u>77</u> (3)	...	194
<u>77</u> (5)	...	203



<u>Proc. zool. Soc. Calcutta</u> , 1971, <u>24</u> (2)	... 165
<u>Rec. zool. Surv. India</u> , 1967, <u>65</u> (1-4)	... 164, 200 & 201
<u>Yojana</u> , 1973, <u>17</u> (5)	... 136 & 166

---

